Manual type SCREEN PRINTER (Model : HSP-12A/B)

The HANSUNG SYSTEMS' manual type Screen Printer (Model : HSP-12A/B) is designed for R & D works and mass-production in the perforation of excellent printing on ceramic tape and other materials.

Applications : R & D and Production for PTC SENSOR, HEATER, PZT and NTC Thermistor sensor. R & D Works for Multi-layer Ceramics Package., R & D for MLCC, Chip Inductor, Production for HIC, LTCC, Multi-layered RF module. Multi-layered thick film sensor, Solder printing for SMD work, etc..

Model HSP-12A/B is designed to control substrate location by X-Y- Table, snap-off distance control, SQUEEGEE pressure control and vacuum pump to hold substrate for excellent printing quality.



Model HSP-12A/B (Manual Screen Printer)

CAT No. 020403

- Operation is simple:
- Screen Printer set-up is simple and quick: Set-up point is minimum.
- Printing quality is excellent: There is Linear motion Bearing for SQUEEGEE moving part..
- The Price is right: You will be pleasantly surprised all this quality and performance much. less than competitive system.
- SCREEN FRAME: 10" x 10 "(American Standard Model HSP-12B) or 320 x 320 mm (ISO standard Model HSP-12A).
- Contact Printing: for high density ink like solder paste..
 - 320 x 320 mm (ISO standard Model HSP-12A).
- **Pull-Through screen printer** or other combination and sizes available depending on user application.
- PULL-THROUGH SCREEN PRINTER can be provided.

Machine Specification (Model HSP-12A or HSP-12B)

- 1. SCREEN FRAME SIZE : 10" x 10" (HSP-12B) or 320 x 320 mm (HSP-12A).
- 2. Maximum printing area : 5" × 5" (124 x 124 mm)
- 3. UTILITY : Power for vacuum pump : 110 VAC. or 220 VAC.
 Compressed Shop Air : Not required.
 - Compressed Shop All . Not required.
- 4. MICRO-METER CONTROL (X-Y-) TABLE : X, Y --- ±12 mm.
- 5. MUTI-POSITION WORK-HOLDER. (OPTION).
- 6. WORK-HOLDER for Green Tape . (OPTION).
- 7. MACHINE SIZE : 400 x 680 x 290 mm (W x D x H).

MANUFACTURER :

HANSUNG SYSTEMS, INC. 773, DAPSHIPRI 4-DONG, DONGDAEMOON-GU, SEOUL, KOREA.

PHONE : 82-2-2249-5235 FAX : 82-2-2249-2157 E-MAIL : <u>ehansung@hotmail.com</u>

U.S.A. Office :

HANSUNG SYSTEMS USA, INC. 22104, S.Vermont Ave. #106 TORRANCE, CA. 90502-2156 U. S. A.

PHONE : (310) 212-0707

E-MAIL : ehansung@hotmail.com

* Above Specification will be changed without notice for machine improve .

CAT No. 020403



Side view of Model HSP-12A/B (Manual Screen Printer)